Leave blank

9. **In this question you must show all stages of your working.**

Solutions relying on calculator technology are not acceptable.

A curve has equation

$$y = \frac{4x^2 + 9}{2\sqrt{x}} \qquad x > 0$$

Find the x coordinate of the point on the curve at which $\frac{dy}{dx} = 0$

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Leave blank

Question 9 continued

Q9

(Total 6 marks)

Leave blank

10. The curve C_1 has equation $y = f(x)$, where

$$f(x) = (4x - 3)(x - 5)^2$$

(a) Sketch C_1 showing the coordinates of any point where the curve touches or crosses the coordinate axes.

(3)

(b) Hence or otherwise

(i) find the values of x for which $f\left(\frac{1}{4}x\right) = 0$

(ii) find the value of the constant p such that the curve with equation $y = f(x) + p$ passes through the origin.

(2)

A second curve C_2 has equation $y = g(x)$, where $g(x) = f(x + 1)$

(c) (i) Find, in simplest form, $g(x)$. You may leave your answer in a factorised form.

(ii) Hence, or otherwise, find the y intercept of curve C_2

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA