1. The curve C has equation

$$y = \frac{x^3}{4} - x^2 + \frac{17}{x} \qquad x > 0$$

(a) Find $\frac{dy}{dx}$, giving your answer in simplest form.

(3)

The point $R\left(2, \frac{13}{2}\right)$ lies on C.

(b) Find the equation of the tangent to C at the point R. Write your answer in the form $ax + by + c = 0$, where a, b and c are integers to be found.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 1 continued

(Total for Question 1 is 6 marks)

2. Given that

$$(x - 5)(2x + 1)(x + 3) \equiv ax^3 + bx^2 - 32x - 15$$

where a and b are constants,

(a) find the value of a and the value of b.

(2)

(b) Hence find

$$\int \frac{(x - 5)(2x + 1)(x + 3)}{5\sqrt{x}} \, dx$$

writing each term in simplest form.

(5)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA