4. **In this question you must show detailed reasoning.**
Solutions relying on calculator technology are not acceptable.

$$f(x) = x^2(2x + 1) - 15x$$

(a) Solve

$$f(x) = 0$$

(4)

(b) Hence solve

$$y^{\frac{4}{3}}\left(2y^{\frac{2}{3}} + 1\right) - 15y^{\frac{2}{3}} = 0 \qquad y > 0$$

giving your answer in simplified surd form.

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 6 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

5. **In this question you must show all stages of your working.**
Solutions relying entirely on calculator technology are not acceptable.

The curve C has equation $y = f(x)$, $x > 0$

Given that

- $f'(x) = \frac{12}{\sqrt{x}} + \frac{x}{3} - 4$
- the point $P(9, 8)$ lies on C

(a) find, in simplest form, $f(x)$

(5)

The line l is the normal to C at P

(b) Find the coordinates of the point at which l crosses the y-axis.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA