Leave blank

7. (a) Show that the equation

$$8\tan\theta = 3\cos\theta$$

may be rewritten in the form

$$3\sin^2\theta + 8\sin\theta - 3 = 0$$

(3)

(b) Hence solve, for $0 \leqslant x \leqslant 90°$, the equation

$$8\tan 2x = 3\cos 2x$$

giving your answers to 2 decimal places.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Leave blank

Question 7 continued

Q7

(Total 7 marks)

Leave blank

8. (i) An arithmetic series has first term a and common difference d.

Prove that the sum to n terms of this series is

$$\frac{n}{2}\{2a + (n-1)d\}$$

(3)

(ii) A sequence $u_1, u_2, u_3, \ldots$ is given by

$$u_n = 5n + 3(-1)^n$$

Find the value of

(a) u_5

(1)

(b) $\sum_{n=1}^{59} u_n$

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA