7. Wheat is grown on a farm.

- In year 1, the farm produced 300 tonnes of wheat.
- In year 12, the farm is predicted to produce 4 000 tonnes of wheat.

Model *A* assumes that the amount of wheat produced on the farm will increase by the same amount each year.

(a) Using model *A*, find the amount of wheat produced on the farm in year 4.
Give your answer to the nearest 10 tonnes.

(3)

Model *B* assumes that the amount of wheat produced on the farm will increase by the same percentage each year.

(b) Using model *B*, find the amount of wheat produced on the farm in year 2.
Give your answer to the nearest 10 tonnes.

(3)

(c) Calculate, according to the two models, the difference between the total amounts of wheat predicted to be produced on the farm from year 1 to year 12 inclusive.
Give your answer to the nearest 10 tonnes.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 7 continued

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

(Total for Question 7 is 9 marks)

8. (i) Use a counter example to show that the following statement is **false**

"$n^2 + 3n + 1$ is prime for all $n \in \mathbb{N}$"

(2)

(ii) Use algebra to prove by exhaustion that for all $n \in \mathbb{N}$

"$n^2 - 2$ is **not** a multiple of 4"

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA