9. **In this question you must show all stages of your working.**

Solutions relying on calculator technology are not acceptable.




Figure 2

Figure 2 shows a sketch of the curve with equation

$$y = |2 - 4\ln(x + 1)| \qquad x > k$$

where k is a constant.

Given that the curve

- has an asymptote at $x = k$
- cuts the y-axis at point A
- meets the x-axis at point B

as shown in Figure 2,

(a) state the value of k

(1)

(b) (i) find the y coordinate of A

(ii) find the exact x coordinate of B

(3)

(c) Using algebra and showing your working, find the set of values of x such that

$$|2 - 4\ln(x + 1)| > 3$$

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 9 continued

Question 9 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 9 continued

(Total for Question 9 is 9 marks)

10. **In this question you must show all stages of your working.**

Solutions relying on calculator technology are not acceptable.

A curve C has equation

$$x = \sin^2 4y \qquad 0 \leqslant y \leqslant \frac{\pi}{8} \qquad 0 \leqslant x \leqslant 1$$

The point P with x coordinate $\frac{1}{4}$ lies on C

(a) Find the exact y coordinate of P

(2)

(b) Find $\frac{dx}{dy}$

(2)

(c) Hence show that $\frac{dy}{dx}$ can be written in the form

$$\frac{dy}{dx} = \frac{1}{\sqrt{q + r(x + s)^2}}$$

where q, r and s are constants to be found.

(3)

Using the answer to part (c),

(d) (i) state the x coordinate of the point where the value of $\frac{dy}{dx}$ is a minimum,

(ii) state the value of $\frac{dy}{dx}$ at this point.

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA