4. $f(x) = 8\sin x\cos x + 4\cos^2 x - 3$

(a) Write $f(x)$ in the form

$$a\sin 2x + b\cos 2x + c$$

where a, b and c are integers to be found.

(3)

(b) Use the answer to part (a) to write $f(x)$ in the form

$$R\sin(2x + \alpha) + c$$

where $R > 0$ and $0 < \alpha < \frac{\pi}{2}$

Give the exact value of R and give the value of α in radians to 3 significant figures.

(3)

(c) Hence, or otherwise,

(i) state the maximum value of $f(x)$

(ii) find the **second** smallest positive value of x at which a maximum value of $f(x)$ occurs. Give your answer to 3 significant figures.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 9 marks)

5. The functions f and g are defined by

$$f(x) = 2 + 5\ln x \qquad x > 0$$

$$g(x) = \frac{6x - 2}{2x + 1} \qquad x > \frac{1}{3}$$

(a) Find $f^{-1}(22)$

(2)

(b) Use differentiation to prove that g is an increasing function.

(3)

(c) Find g^{-1}

(3)

(d) Find the range of fg

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA