8.




Figure 4

The heart rate of a horse is being monitored.
The heart rate H, measured in beats per minute (bpm), is modelled by the equation

$$H = 32 + 40e^{-0.2t} - 20\,e^{-0.9t}$$

where t minutes is the time after monitoring began.

Figure 4 is a sketch of H against t.

Use the equation of the model to answer parts (a) to (e).

(a) State the initial heart rate of the horse.

(1)

In the long term, the heart rate of the horse approaches L bpm.

(b) State the value of L.

(1)

The heart rate of the horse reaches its maximum value after T minutes.

(c) Find the value of T, giving your answer to 3 decimal places.

(*Solutions based entirely on calculator technology are not acceptable.*)

(5)

The heart rate of the horse is 37 bpm after M minutes.

(d) Show that M is a solution of the equation

$$t = 5\ln\left(\frac{8}{1 + 4e^{-0.9t}}\right)$$

(2)

Using the iteration formula

$$t_{n+1} = 5\ln\left(\frac{8}{1 + 4e^{-0.9t_n}}\right) \quad \text{with} \quad t_1 = 10$$

(e) (i) find, to 4 decimal places, the value of t_2

(ii) find, to 4 decimal places, the value of M

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

Question 8 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

(Total for Question 8 is 12 marks)

9.




Figure 5

Figure 5 shows a sketch of part of the curve C with equation $y = \mathrm{f}(x)$ where

$$\mathrm{f}(x) = \frac{6x^2 + 4x - 2}{2x + 1} \qquad x > -\frac{1}{2}$$

(a) Find $\mathrm{f}'(x)$, giving the answer in simplest form.

(3)

The line l is the normal to C at the point $P(2, 6)$

(b) Show that an equation for l is

$$16y + 5x = 106$$

(3)

(c) Write $\mathrm{f}(x)$ in the form $Ax + B + \dfrac{D}{2x + 1}$ where A, B and D are constants.

(3)

The region R, shown shaded in Figure 5, is bounded by C, l and the x-axis.

(d) Use algebraic integration to find the exact area of R, giving your answer in the form $P + Q\ln 3$, where P and Q are rational constants.

(*Solutions based entirely on calculator technology are not acceptable.*)

(5)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA