2. (i) Given $y = x^2 \ln 2x$, find in simplest form, $\dfrac{dy}{dx}$

(2)

(ii) Given

$$f(x) = \frac{e^{2x}}{(4x+3)^2} \qquad x > -\frac{3}{4}$$

show that

$$f'(x) = \frac{2e^{2x}(ax+b)}{(4x+3)^3}$$

where a and b are constants to be found.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 6 marks)

3. (i) Find, in simplest form,

$$\int 2(3x+5)^7 \, dx$$

(2)

(ii) $$f(x) = \frac{4x^3 + x^2 - 7x + 14}{(x-1)(x+2)} \qquad x > 1$$

(a) Write $f(x)$ in the form

$$ax + b + \frac{c}{x-1}$$

where a, b and c are constants to be found.

(4)

(b) Hence, using algebraic integration, find

$$\int_3^9 f(x) \, dx$$

writing the answer in simplest form.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA