6. **In this question you must show all stages of your working.**
Solutions relying entirely on calculator technology are not acceptable.

(a) Show that the equation

$$2\cos(\theta - 60°) = 3\sin\theta$$

can be written in the form

$$\tan\theta = \frac{1}{6}\left(3 + \sqrt{3}\right)$$

(4)

(b) Hence solve, for $0 \leqslant x < 180°$, the equation

$$2\cos(2x - 70°) = 3\sin(2x - 10°)$$

giving your solutions to one decimal place.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

(Total for Question 6 is 7 marks)

7.




Figure 1

Figure 1 shows a sketch of part of the graph with equation $y = \mathrm{f}(x)$, where

$$\mathrm{f}(x) = |3x - 11| - 4$$

The vertex of the graph is at the point P, as shown in Figure 1.

(a) State the coordinates of P.

(2)

(b) Solve the equation $\mathrm{f}(x) = 8$

(3)

The line l has equation $y = mx$, where m is a constant.

Given that l intersects the graph of $y = \mathrm{f}(x)$ at exactly one point,

(c) find the possible values of m.

(3)

The graph with equation $y = \mathrm{f}(x)$ is transformed onto the graph with equation $y = a\,\mathrm{f}(x - b)$, where a and b are constants.

Given that the vertex of the graph with equation $y = a\,\mathrm{f}(x - b)$ is $(5, 16)$

(d) find the value of a and the value of b.

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA