3.




Figure 1

Figure 1 shows a sketch of triangle PQR.

Given that

- $\overrightarrow{PQ} = 2\mathbf{i} - 3\mathbf{j} + 4\mathbf{k}$
- $\overrightarrow{PR} = 8\mathbf{i} - 5\mathbf{j} + 3\mathbf{k}$

(a) Find $\overrightarrow{RQ}$

(2)

(b) Find the size of angle PQR, in degrees, to three significant figures.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

(Total for Question 3 is 5 marks)

4.

$$g(x) = \frac{1}{\sqrt{4 - x^2}}$$

(a) Find, in ascending powers of x, the first four non-zero terms of the binomial expansion of $g(x)$. Give each coefficient in simplest form.

(5)

(b) State the range of values of x for which this expansion is valid.

(1)

(c) Use the expansion from part (a) to find a fully simplified rational approximation for $\sqrt{3}$

Show your working and make your method clear.

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA