8.




Figure 2

Figure 2 shows a sketch of part of the curve C with parametric equations

$$x = t + \frac{1}{t} \qquad y = t - \frac{1}{t} \qquad t > 0.7$$

The curve C intersects the x-axis at the point Q.

(a) Find the x coordinate of Q.

(1)

The line l is the normal to C at the point P as shown in Figure 2.

Given that $t = 2$ at P

(b) write down the coordinates of P

(1)

(c) Using calculus, show that an equation of l is

$$3x + 5y = 15$$

(3)

The region, R, shown shaded in Figure 2 is bounded by the curve C, the line l and the x-axis.

(d) Using algebraic integration, find the exact volume of the solid of revolution formed when the region R is rotated through 2π radians about the x-axis.

(7)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 8 continued

Question 8 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

Question 8 continued

(Total for Question 8 is 12 marks)

TOTAL FOR PAPER IS 75 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA