7.



Figure 5

A block P of mass $2m$ is held at rest on a fixed rough plane.

The plane is inclined to the horizontal at an angle α, where $\tan\alpha = \frac{5}{12}$

One end of a light inextensible string is attached to P.
The string is parallel to a line of greatest slope of the plane and passes over a smooth light pulley which is fixed at the top of the plane.
The other end of the string is attached to a block Q of mass $5m$.
Block Q hangs vertically below the pulley, as shown in Figure 5.

The system is released from rest with the string taut and block P moves up the plane.

Immediately after the system is released, the tension in the string is T and the acceleration of the blocks is a.

The blocks are modelled as particles and air resistance is ignored.

(a) Write down an equation of motion for Q.

(2)

The coefficient of friction between P and the plane is $\frac{1}{8}$

(b) Find T in terms of m and g.

(7)

(c) State how the solution to part (b) uses the fact that the string is inextensible.

(1)

The magnitude of the force exerted on the pulley by the string is kmg.

(d) Find the value of k to 3 significant figures.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

Question 7 continued

(Total for Question 7 is 14 marks)

TOTAL FOR PAPER IS 75 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA